

2024.50MY

New Transit Custom



2024.50MY Transit Custom

	Trend Short Wheelbase Van	Trend Long Wheelbase Van	Sport Short Wheelbase Van	Sport Long Wheelbase Double Cab
Engine				
2.0L TDCi Ford EcoBlue Engine	S	S	S	S
Power - Maximum (DIN)	125kW @ 3,500rpm	125kW @ 3,500rpm	125kW @ 3,500rpm	125kW @ 3,500rpm
Torque - Maximum (DIN)	390Nm @ 1,750 - 2,500rpm	390Nm @ 1,750 - 2,500rpm	390Nm @ 1,750 - 2,500rpm	390Nm @ 1,750 - 2,500rpm
Cylinders	4	4	4	4
Auto Stop/Start ¹	S	S	S	S
Transmission				
8-Speed Automatic	S	S	S	S
Transmission Stalk with Manual Gear Shifter	S	S	S	S
Driveline				
Wheelbase	SWB	LWB	SWB	LWB
Drivetrain	FWD	FWD	FWD	FWD
4 Drive Modes - Normal, Eco, Slippery, Tow/Haul	S	S	—	—
5 Drive Modes - Normal, Eco, Slippery, Tow/Haul, Sport	—	—	S	S
Fuel, Economy & Emissions				
Fuel Type	Diesel	Diesel	Diesel	Diesel
Fuel Tank Capacity (L)	70	70	70	70
Combined Fuel Economy (L/100km) ²	8.0	8.0	8.0	8.0
CO2 Emissions (g/100km) ²	209	209	209	209
Selective Catalytic Reduction - Using AdBlue ^{®3}	S	S	S	S
AdBlue [®] tank size (L)	20	20	20	20
Brakes				
Front and Rear Disc Brakes	S	S	S	S
Electric Parking Brake	S	S	S	S
Suspension & Steering				
Rear: Independent Rear Suspension	S	S	S	S
Power Assisted Steering	S	S	S	S
Wheels				
Wheel Size	6.5" x 16"	6.5" x 16"	6.5" x 17"	6.5" x 17"
Wheel Type	Steel with Wheel Cover in Sparkle Silver	Steel with Wheel Cover in Sparkle Silver	Multi-spoke Alloy in Matte Black	Multi-spoke Alloy in Matte Black
Tyre Size	215/65 R16C	215/65 R16C	215/60 R17C	215/60 R17C
Spare Wheel	16" Steel	16" Steel	16" Steel	16" Steel
Exterior Design Features				
Kerbside Sliding Load Door (LHS)	S	S	S	S
Dual Side Sliding Load Doors with Pop Out Latch Style Windows	—	—	—	S
Soft Close Sliding Side Load Doors	—	—	S	S
Rear Twin Barn Doors with Windows (Wide Opening)	S	S	S	S
Integrated Roof Racks ⁴	S	S	S	S
Power adjustable & fold Side Mirrors with Blind Spot Magnified View	S	S	S	S
Mudflaps - Front & Rear	S	S	—	—
Sport Body Kit	—	—	S	S

Indicative pre-production vehicle specifications and images shown. Specifications and features on production model may vary. Available to order, additional wait times may apply.

	Trend Short Wheelbase Van	Trend Long Wheelbase Van	Sport Short Wheelbase Van	Sport Long Wheelbase Double Cab
Exterior Design Features (continued)				
Rear Spoiler	—	—	S	S
Stripe Package	—	—	S	S
Seating				
Number of Seats	3	3	3	5
Cloth Seat Trim	S	S	—	—
Fabric Sports Trim with Blue Accent Stripes	—	—	S	S
Driver 8-Way Manual Seat including lumbar	S	S	—	—
Driver 10-Way Power Seat including lumbar	—	—	S	S
Dual Front Passenger Fixed Seats	S	S	S	—
Single Passenger Front Seat - 8-Way Manual	—	—	—	S
Driver Arm Rest	Single	Single	Dual	Dual
Passenger Seat Dual Arm Rests	—	—	—	S
Driver and Passenger (Outboard) Heated Front Seats	S	S	S	S
Fixed 2nd Row Seats (3)	—	—	—	S
Under Seat Stowage Compartment (Passenger Side)	S	S	S	—
Driver & Passengers seat occupancy recognition	S	S	S	S
Lighting				
Automatic Dusk Sensing Headlights	S	S	S	S
Automatic High Beam Control	S	S	S	S
Halogen Daytime Running Lights	S	S	—	—
LED Daytime Running Lights	—	—	S	S
LED/Halogen Hybrid Headlights	S	S	—	—
LED Headlights	—	—	S	S
Halogen Tail-lights	S	S	—	—
LED Tail-lights	—	—	S	S
High Mounted Stop Lamp	S	S	S	S
Manual Headlight Levelling	S	S	S	S
Rear Fog Lamps	S	S	S	S

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

Disclaimer:

1. Auto Stop/Start will not occur in all situations. **2.** Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that this fuel consumption and emissions figure will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. **3.** Proper functioning requires use of Diesel Exhaust Fluid (AdBlue[®]) which must be refilled periodically. AdBlue[®] is a registered trademark of VDA Verband der Automobilindustrie e.V. **4.** Weight capacity = 155kg when using all 3 cross bars. Weight capacity refers to dynamic load condition. 155kg load rating applies to loads applied evenly across all 3 cross bars, maximum load capacity loaded across 2 crossbars is 100kg. Refer to the vehicle's owner manual for further information

2024.50MY Transit Custom

	Trend Short Wheelbase Van	Trend Long Wheelbase Van	Sport Short Wheelbase Van	Sport Long Wheelbase Double Cab
Audio, Communication & Connectivity				
13-inch Colour Multi-Function Touch Screen Display	S	S	S	S
12-inch Driver Cluster with 7-inch Colour Digital Instrument Cluster with Configurable Display	S	S	S	S
Built-In Satellite Navigation with one year of Connected Navigation Services included ⁵	S	S	S	S
5G Embedded Modem	S	S	S	S
FordPass Connect ⁶	S	S	S	S
4 speaker Audio System	S	S	S	S
Digital Audio (DAB+) and FM Radio	S	S	S	S
Bluetooth® with Phone / Audio Streaming ⁷	S	S	S	S
Wireless Apple CarPlay™ & Android Auto™ ⁸	S	S	S	S
Wireless Charging ⁹	S	S	S	S
SYNC®4 with Voice-Activated Controls ¹⁰	S	S	S	S
Steering Wheel Audio/Function Control	S	S	S	S
USB-A - Instrument Panel	S	S	S	S
USB-C - Instrument Panel	S	S	S	S
USB-C - 2 x Drivers side dash & 2 x Upper glovebox	—	—	S	S
USB-C - 2x 2nd row	—	—	—	S
Auxiliary 12V Power Outlet - Instrument Panel	S	S	S	S
Digital Owners Manual	S	S	S	S
Comfort & Convenience				
Climate Control - Single Zone	S	S	—	—
Climate Control Dual Zone	—	—	S	S
Automatic Rain-Sensing Windshield Wipers	S	S	S	S
Quickclear Heated Windscreen	S	S	S	S
Fold Down Tray Table (Back of Centre Passenger Seat)	S	S	S	—
Illuminated Step - Driver & Passenger	S	S	S	S
Power Windows (1-Touch Up/Down Driver Window)	S	S	S	S
Power Windows (1-Touch Up/Down Passenger Window)	—	—	S	S
Soft Close Side Load Doors	—	—	S	S
Premium Feel Sensico® artificial leather steering wheel	S	S	S	S
Push Button Start	S	S	S	S
Telescopic and Tilt Adjustable Steering Column	S	S	S	S
Locking Glovebox	S	S	S	S
Upper Glovebox	—	—	S	S
Driver Footrest	S	S	S	S
Slim line Centre Console with Foldable Single Cup Holder	S	S	S	—
Centre Console with Single Lid and 2 Cup Holders	—	—	—	S
Keyless Entry	—	—	S	S
Keyless Start	S	S	S	S
Rear Window Defrost with wiper and washer	S	S	S	S
Cup Holders - Front	3	3	3	4
Front Door Storage with Bottle Holders	S	S	S	S
Cabin Floor Covering - Easy Clean Rubber	S	S	S	—
Carpet Floor Cabin & 2nd row	—	—	—	S

Indicative pre-production vehicle specifications and images shown. Specifications and features on production model may vary. Available to order, additional wait times may apply.

	Trend Short Wheelbase Van	Trend Long Wheelbase Van	Sport Short Wheelbase Van	Sport Long Wheelbase Double Cab
Loadspace Compartment				
Metal Bulkhead with Window and Load-Through Hatch	S	S	S	—
Moulded Plastic Bulkhead with Window	—	—	—	S
Metal Bulkhead (windowless) and Load-Through Hatch (Part of Secure Visibility Pack)	—	O	—	—
Load Area Protection Kit - Full Height Walls & Moulded Floor	S	S	S	—
Load Area Protection Kit - Half Height Walls & Moulded Floor	—	—	—	S
Load Area Tie Down Loops	6	8	6	6
Ultra Bright LED Load Area Compartment Lights	S	S	S	S
Safety				
6 Airbags - Driver, Front Passenger, Front Side Curtain & Front Side Seat	S	S	S	—
7 Airbags - Driver, Front Passenger, Front Side Curtain & Front Side Seat and Far Side Airbag	—	—	—	S
Roll Over Mitigation ¹¹	S	S	S	S
Security				
Thatcham Category 1 - Combined Alarm and Immobiliser	S	S	S	S
Driver Assistance				
Dynamic Stability Control (DSC) incorporating ABS ¹¹	S	S	S	S
Traction Control System ¹¹	S	S	S	S
Intelligent Adaptive Cruise Control ¹¹	S	S	S	S
Blind Spot Monitoring & Assist ¹¹	S	S	S	S
Rear Cross Traffic Alert ¹¹	S	S	S	S
Emergency Call Assist ¹²	S	S	S	S
Rear Occupant Alert	—	—	—	S
Evasive Steering Assist ¹¹	S	S	S	S
Exit Warning ¹¹	S	S	S	S
Forward Collision Warning ¹¹	S	S	S	S
Hill Launch Assist ¹¹	S	S	S	S
Intelligent Speed Limiter ^{11, 13}	S	S	S	S
Lane Keeping Aid with Lane Departure Warning ¹¹	S	S	S	S

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

Disclaimer:

5. Connected Built-In Satellite Navigation is a Connected Service where eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date, after which time the service may cease to be available or may be subject to a subscription fee. Users must have created a FordPass App account (terms apply), have fully activated the vehicle's FordPass Connect modem and have SYNC Location set to 'on' to use this feature. **6.** Use of FordPass is subject to the FordPass Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, internet access and software (including software updates from time to time). FordPass functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass App and FordPass Connect modem can only work when both are connected to the telecommunications network. The Transit Custom 2024.50MY contains a FordPass Connect Modem which will function on the 3G, 4G and 5G telecommunications networks. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. **7.** Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. **8.** Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. **9.** Wireless charging only available on compatible phones. **10.** Don't drive while distracted. Use voice-operated systems when possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC 4 features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. **11.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. Intelligent Adaptive Cruise Control (iACC) uses various data to adjust the set speed of the vehicle to the speed limit detected by the system. The iACC system will not always detect the correct speed limit and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be overridden by the driver applying the brake or accelerator or via steering wheel controls. In some circumstances, iACC will use map data to set the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. Adaptive Cruise Control has a minimum operating speed of 20km/hr. Detection of lower speed limit will result in system entering standby when iACC is active. Customers should read the Owner's Manual for details of the limitations of the iACC system before activating. **12.** Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. **13.** Intelligent Speed Limiter (ISL) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISL system will not always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISL can be temporarily overridden by the driver firmly pressing the accelerator. Customers should read the Owner's Manual for details of the limitations of the ISL system before activating. In some circumstances, ISL will use map data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee.

2024.50MY Transit Custom

	Trend Short Wheelbase Van	Trend Long Wheelbase Van	Sport Short Wheelbase Van	Sport Long Wheelbase Double Cab
Driver Assistance (continued)				
Parking Sensors - Front & Rear ¹¹	S	S	S	S
Pre-Collision Assist with Autonomous Emergency Braking (AEB) and Intersection Assist ^{11, 14, 15}	S	S	S	S
Rear View Camera - 180-Degree Split View ¹¹	S	S	S	S
Reverse Brake Assist ^{11,16}	S	S	S	S
Side Wind Stabilisation ¹¹	S	S	S	S
Traffic Sign Recognition ¹¹	S	S	S	S
Trailer Sway Control ¹¹	S	S	S	S
Tyre Pressure Monitoring System	S	S	S	S
Power Door Deadlocks - Shielded	S	S	S	S
Child Seat ISOFIX Anchorage Points (Outboard Rear Seats)	—	—	—	S
Child Seat Upper Anchorage Points (Outboard Rear Seats)	—	—	—	S
Anti-Lock Brake System (ABS) ¹¹	S	S	S	S
Electronic Brakeforce Distribution (EBD) ¹¹	S	S	S	S
Emergency Brake Assist (EBA)	S	S	S	S
Production Options				
Dual Side Load Doors ¹⁷	O	O	O	—
Rear Liftgate Door ¹⁷	O	O	O	O
Secure Visibility Pack ¹⁷	—	O	—	—
Prestige Paint	O	O	O	O
Special Vehicle Options (SVO) Paint ¹⁸	O	O	—	—
Paint Colours				
Frozen White	S	S	S	S
Moondust Silver ¹⁸	O	O	O	O
Magnetic ¹⁸	O	O	O	O
Agate Black Metallic ¹⁸	O	O	O	O
Digital Aqua Blue ¹⁸	—	—	O	O
Grey Matter ¹⁸	—	—	O	O
SVO Paint Range ¹⁸	O	O	—	—
Vehicle Masses (kg)				
Axle Plated Mass (Front / Rear)	1600/1900	1700/1850	1550/1700	1700/1700
Gross Combined Mass	5725	5725	5525	5525
Gross Vehicle Mass	3225	3225	3025	3025
Minimum Kerb Weight ¹⁹	1970	2016	2002	2171
Kerb Weight ¹⁹	2165	2211	2157	2276
Maximum Payload at Minimum Kerb Weight ¹⁹	1255	1209	1023	854
Maximum Payload at Kerb Weight ¹⁹	1060	1014	868	749
Maximum Braked Towing Capacity ²⁰ *Towing equipment, including towbar not currently available – expected October 2024. Consult you Ford Dealer for availability	2500	2500	2500	2500

Indicative pre-production vehicle specifications and images shown. Specifications and features on production model may vary. Available to order, additional wait times may apply.

	Trend Short Wheelbase Van	Trend Long Wheelbase Van	Sport Short Wheelbase Van	Sport Long Wheelbase Double Cab
Exterior Dimensions (mm)²¹				
Overall Length	5050	5450	5050	5450
Overall Width with Mirrors	2275	2275	2275	2275
Overall Width with Folded Back Mirrors	2148	2148	2148	2148
Overall Width without Mirrors & Handles (Maximum Body Width)	1999	1999	1999	1999
Overall Height at Kerb Weight ²²	1984	1980	1990	1985
Wheelbase	3100	3500	3100	3500
Front of Vehicle to Front Wheel Centre	958	958	958	958
Rear of Vehicle to Rear Wheel Centre	992	992	992	992
Width - Side Door Opening	1030	1030	1030	1030
Height - Side Door Opening	1301	1301	1301	1301
Width - Rear Door Opening	1400	1400	1400	1400
Height - Rear Door Opening	1316	1316	1316	1314
Turning Circle (M)				
Kerb to Kerb turn Diameter	10.9	12.1	10.9	12.1
Cargo Dimensions (mm)²³				
Width - Load Space Between Wheel Arches	1392	1392	1392	1392
Height - Load Space Floor to Roof	1427	1425	1427	1425
Height - Rear Loading Height at Kerb Weight (Ground to Load Floor)	571	567	572	569
Length - Upper Cargo	2394	2794	2394	1888
Length - Load Space Maximum (Bulkhead)	2602	3002	2602	2004
Length - Load Space Maximum via Load Through Hatch to Passenger Under Seat Stowage	3050	3450	3050	—
Maximum Load Volume (with Bulkhead) (cu.m) ²⁴	5.8	6.8	5.8	4.3
Load Space SAE (behind Bulkhead) (cu.m)	5.7	6.5	5.7	—
Load Space VDA (with Bulkhead) (cu.m) ²⁵	5.2	6.0	5.2	3.8
Euro Pallet Capacity (1,200mm x 800mm)	3	4	3	—
Aftersales Information²³				
Service Intervals - 12 months or 30,000 km				

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

Disclaimer:

14. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather. **15.** Pre-collision Assist with Autonomous Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. Intersection Assist does not detect all vehicles in intersection, pedestrians or cyclists. These do not replace safe driving. See Owner's Manual for Limitations. **16.** Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h. **17.** Option available at additional cost. **18.** Regular Production Options are optional and available at additional cost and must be ordered before the vehicle is manufactured. **19.** Subject to State and Territory regulations. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the heaviest possible combination of factory fitted optional equipment included. Minimum Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the lightest possible orderable combination of factory fit equipment. Maximum Payloads are calculated by deducting either the vehicle's Kerb Weight or Minimum Kerb Weight from its Gross Vehicle Mass (GVM). Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Weight Ratings are not exceeded. **20.** Subject to State and Territory regulations. Maximum towing capacity braked using an appropriate aftermarket towbar and trailer brake controller. Subject to State and Territory regulations. To comply with these limits, occupants and / or luggage may need to be restricted to not exceed the GCM and GVM limits. For further details regarding passenger and luggage restrictions, please consult your authorized Ford Dealer and / or refer to the Owner's Manual. Towing equipment, including towbar not currently available – expected October 2024. Consult your Ford Dealer for availability. **21.** Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. **22.** Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the heaviest possible combination of factory fitted optional equipment included. **23.** Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. Load Area Protection Kit may impact cargo area dimensions and capacities. **24.** Maximum load volume method simply measures the volume of a fine-grained material such as sand or rice which can be deposited into the loadspace. **25.** VDA is the method determined by filling the load space with 'litre' blocks, each measuring 200x100x50mm. The blocks are then counted and the numerical result is converted into cubic meters.

Discover more at ford.com.au

Contact us

If you have any questions or concerns, please contact our Customer Relationship Centre on 13 FORD (13 36 73) or email foacust1@ford.com

Running a fleet?

Our Ford Fleet team is here to assist you in any way we can. Please email askfleet@ford.com



Important information:

This brochure is designed to provide you with a general introduction to the Ford products (including available optional equipment) referred to and should be read in conjunction with the latest specification sheet. Features, designs, materials, colours and other specifications may vary from those depicted. Because of changes in conditions and circumstances Ford reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice, to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchasers. The latest specification sheet should be referred to for information on the availability, ordering and use of features and optional equipment. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order.